



Available Excavator Slewing Bearing

Version A05

型号 Model	外径 OD	内径 ID	总高 Height	外高 Ex H	内高 In H	外圈孔 Outer hole	内圈孔 Inner hole	齿数 Teeth
PC30-1	595	441	52	40	43	15-13.5	16-13.5	89
PC30-2	614.5	452	53.5	40	43.5	20-φ13.5均	20-φ13.5均	92
PC30(92T)	614.5	452	53.5	40	43.5	20-φ13.5均	20-φ13.5均	92
PC30/96T	640	472	55	42	45	16-φ13.5	20-φ13.5均	96
PC50-7	748	573.5	60	50	50	27-φ14	24-φ14均	90
PC55	748	573.5	60	50	50	27-φ14	24-φ14均	90
PC60-5	852	627	75	58	62	24-18	24-18	80/8m
PC60-6(76T)	806	596	74	59	61	24-18.5	24-18.5	76
PC60-6(80T)	852	627	75	58	62	24-18	24-18	80
PC60-7(76T)	806	596	74	59	61	23-18.5	24-18.5	76
PC60-7(80T)	852	627	75	58	62	22-18	24-18	80
PC90-6	852	627	75	58	62	24-18	24-18	80
PC100-5	1111	873	75	65	63	38-18	38-18	89
PC120-5	1111	873	75	65	63	38-18	38-18	89
PC120-6(4D95)	1111	882	77	65	64	34-18	38-18	90
PC120-6(4D102)	1106	884	75	65	64	34-18	36-M16	90
PC150-5	1190	922	83	73	67	26-22.5	30-22	94
PC150-7	1189	922	83	73	67	26-22	30-22	94
PC160-7	1224	974	82	67	73	32-24	36-M20	99
PC20HT	1242	916	107	90	95	16-24	36-24	78
PC200-1	1242	915	100	90	90	22-M20	36-24	78
PC200-2	1209	916	95	80	85	22-24	36-24	78
PC200-3	1303	1084	104	81	90	26-M22	36-M20	110
PC200-5	1302	1084	109.5	86.5	90	26-M24	36-M20	110
PC200-8	1321	1080	98	77	89	32-24	36-M20	96/11M
PC210-7	1323	1084	100	77	90	32-24	36-M20	110
PC220-3	1303	1084	104	81	90	26-M22	36-M20	110
PC220-5	1302	1084	109.5	86.5	90	26-M24	36-M20	110
PC200-6(S6D95)	1323	1084	100	77	90	32-26.5	36-M20	110
PC200-6(S6D102)	1323	1084	100	77	90	32-24	36-M20	110
PC220-6(S6D95)	1323	1084	100	77	90	32-26.5	36-M20	110
PC220-6(S6D102)	1323	1084	100	77	90	32-24	36-M20	110
PC200-7(110T)	1323	1084	100	77	90	32-24	36-M20	110
PC220-7(92T)	1323	1073	112	77	102	32-24	36-M22	92
PC227	1323	1073	112	77	102	33-24	36-M22	92
PC228/32孔	1323	1084	100	77	90	32-24	36-M20	110
PC228/40孔	1323	1083	100	77	90	40-24	36-M20	110

型号 Model	外径 OD	内径 ID	总高 Height	外高 Ex H	内高 In H	外圈孔 Outer hole	内圈孔 Inner hole	齿数 Teeth
PC300-2	1470	1140	137	100	110	34-26	36-26	83
PC300-3	1526	1236	122	87	110	35-M24	40-M24	90
PC300-5	1526	1236	122	97	110	35-M24	40-M24	90
PC300-6	1532	1235	125	95	113	35-26	40-M24	90
PC350-6	1532	1235	125	95	113	35-26	40-M24	90
PC360-7	1532	1235	125	95	113	35-26	40-M24	90
PC400-3	1550	1236	147	108	135	35-M24	40-M24	90
PC400-5	1550	1238	152	108	140	35-26	40-M24	84
PC450-5	1550	1238	152	108	140	35-26	40-M24	84
PC400-6	1563	1240	152	108	140	35-29	40-M24	84
PC400-7	1563	1240	152	108	140	35-29	40-M24	84
PC450-6	1563	1240	152	108	140	35-29	40-M24	84
PC450-7	1563	1240	152	108	140	35-29	40-M24	84
EX40-1	615	446	59	40	50	24-13.5	20-13.5	76
EX60-1	781	554	78	60	65	24-18	24-18	71
EX60-3	781	554	78	60	65	24-φ18均	24-φ18均	71
EX60-5	774	554	78	60	65	24-18	24-18	71
EX75	808	595	75	58	61	25-φ16	24-φ16	76
EX100-1	1195	962	86	72	70	36-19	36-17	98
EX120-1	1195	962	86	72	70	36-19	36-17	98
EX120-2	1092	862	84	68	70	36-20	36-18	88
EX120-3	1092	862	84	68	70	36-20	36-18	88
EX120-5	1092	862	84	68	70	36-20	36-18	88
EX200-1	1310	1084	106	75	95	36-22	36-M20X1.5	92
EX200-2	1312	1083.5	106	72	95	36-22	36-M20X1.5	92
EX200-3	1312	1083.5	106	72	95	36-22	36-M20X1.5	92
EX200-5	1312	1083.5	106	72	95	36-22	36-M20X1.5	92
EX210-5	1312	1083.5	106	72	95	36-22	36-M20X1.5	92
EX220-5	1420	1138	108	84	98	36-24	36-M22X1.5	83
EX300-1	1530	1234	117	91	105	32-25	36-M24*2	90
EX300-2	1530	1249	115	83	105	32-25	36-M24*2-7H	91
EX400-1	1650	1274	130	118	110	36-φ29	36-φ29	107
EX300-3	1530	1249	115	83	105	32-25	36-M24*2-7H	91
EX400-3	1530	1249	115	83	105	32-25	36-M24*2-7H	91
EX300-5	1630	1297	120	95	110	36-φ29	36-M27*2	83
ZX60	756	574	66	52	56	27-φ15.5	24-φ15.5	90
ZAX70	806	593	73	60	60	25-φ17.5	24-φ17.5	76
ZX120	1092	860	86	68	70	30-φ20	36-18	88
ZX200	1312	1081	106	72	95	32-21	36-M20X1.5	92

型号 Model	外径 OD	内径 ID	总高 Height	外高 Ex H	内高 In H	外圈孔 Outer hole	内圈孔 Inner hole	齿数 Teeth
ZX210	1312	1081	106	72	95	32-21	36-M20X1.5	92
ZX200-3	1316	1084	96	77	85	37-φ21	36-M20*1.5	92
ZX225U	1310	1084	106	72	95	32-φ21.5	36-M20*1.5	92
ZAX230	1420	1138	108	84	98	36-24	36-M22X1.5	83
ZX240	1420	1138	108	84	98	36-24	36-M22X1.5	83
ZX270	1420	1138	108	84	98	36-24	36-M22X1.5	83
ZX330	1630	1297	120	95	110	36-φ29	36-M27*2	83
ZX450H	1650	1274	130	118	110	36-φ29	36-φ29	107
SK03	810	584	84	67	67	30-17.5	30-17.5	75
SK60-5	810	586.5	84	67	67	25-17.5	30-17.5	75
SK100	1093	880	85	60	75	28-17	36-M16	89
SK09	1163	970	81	57	71	35-17	36-M16	123
SK120-5	1093	880	85	60	75	28-17	36-M16	89
SK200-1	1311	1083	105	78	95	33-22	36-M20X1.5	110
SK200-2	1311	1083	105	78	95	33-22	36-M20X1.5	110
SK200-3	1311	1083	105	78	95	33-22	36-M20X1.5	110
SK200-5	1311	1083	105	78	95	33-22	36-M20X1.5	110
SK200-6	1311	1083	105	78	95	33-22	36-M20X1.5	110
SK210-6E	1311	1083	105	78	95	33-22	36-M20X1.5	110
SK200-8	1310	1082	108	76	98	33-21	36-M20	110
SK07-1	1300	1085	95	70	85	32-22	36-M20	110
SK07-2	1312	1083	105	78	95	32-22	36-M20*1.5	110
SK907B	1312	1083	105	78	95	32-22	36-M20*1.5	110
SK07-1-N2/粗	1300	1085	95	70	85	32-22	36-M20	110
SK07-N2/细	1312	1083	105	78	95	32-22	36-M20X1.5	110
SK235	1410	1083	116	88	106	33-φ22	36-M20*1.5	110
SK260-8	1418	1134	120	86	110	33-22	36-M20×1.5	82
SK230-6	1408	1134	122	88	111	33-22.5	36-M20×1.5	82
SK350-6	1614	1272	120	100	109	35-φ26.5	36-M24*2	92
卡特45	683	484	60	50	50	24-16	24-16	82
山东卡特50	683	484	60	50	50	24-16	24-16	82
山东卡特60	800	590	70	56	60	24-17.5	24-17.5	86
山东卡特80	908	651	78	68	68	20-22	20-22	94
CAT305.5	770	574	73	62	57	20-φ18非	18-φ18非	84
CAT305-5	770	574	73	62	57	20-φ18	18-φ18	84
CAT70B	810	585	84	67	67	25-18	30-18	75
CAT307B	811	586	84	67	67	25-Φ18.5	30-Φ18均	75
CAT307C	810	586	83	63	63	29-18.5	38-18.5	75
CAT308	810	586	84	67	67	25-Φ18	30-Φ18均	75

型号 Model	外径 OD	内径 ID	总高 Height	外高 Ex H	内高 In H	外圈孔 Outer hole	内圈孔 Inner hole	齿数 Teeth
CAT110	1093	881	72	50	62	34-φ18	38-M16	90
CAT312C	1093	881	72	50	62	34-φ18	38-M16	90
CAT120	1115	882	75	60	67	29-φ18.5	30-M16	90
CAT200B	1307.5	1082	100	85	87	33-M20	36-M20	110
CAT312B	1115	882	75	60	67	29-φ18.5	30-M16	90
CAT320B	1316	1082	100	85	87	33-22	36-M20	110
CAT320C	1316	1081	105	73	93	42-22	40-M20	110
CAT320D	1316	1081	105	73	93	42-22	40-M20	110
CAT320L	1316	1084	105	85	92	38-φ22	36-M20	110
CAT311	1093	881	72	50	62	34-Φ18	38-M16均	90
CAT325B	1495	1164	110	93	95	35-Φ26非均	38-M24均	85
CAT325C	1495	1164.2	110	93	95	38-26不均布	42-M24均布	85
CAT330C	1665	1312	138.5	110	123	42-26非均	46-M26均布	84/16模数
CAT345C	1678	1316	141	105	125	54-26	70-M24	96
HD250-7	810	584	84	67	67	30-φ17.5	30-φ17.5	75
HD450-5	1111	873	75	65	62	30-18	30-18	89
HD450-7	1111	873	75	65	62	30-18	30-18	89
HD512	1111	873	75	65	62	30-18	30-18	89
HD513	1111	873	75	65	62	30-18	30-18	89
HD516	1111	873	75	65	62	30-18	30-18	89
HD550	1163	961	94	66	84	36-φ18	36-M16*1.5	98
HD100	1111	873	75	65	62	30-18	30-18	89
HD700-5	1300	1084	110	89	94	35-M20	36-M20	92
HD700-7	1320	1080	95	70	85	36-22	36-M20	92
HD800-7	1402	1132	97	80	80	36-φ22均	36-M20均	96
HD800-5	1402	1132	97	80	80	36-φ22均	36-M20均	96
HD820-3	1320	1080	95	70	85	36-22	36-M20	92
HD820-1	1320	1080	95	70	85	36-22	36-M20	92
HD900-7	1402	1132	97	80	80	36-φ22均	36-M20均	96
HD1023	1595	1277	111	90	100	36-φ26.5均	36-M24均	92
SH60-1	766	560	97	58	80	21-φ17.5	20-φ17.5	71
SH120A1	1171	973	88	56	78	28-18.5	36-M16	98
SH120-1	1171	973	88	56	78	28-18.5	36-M16	98
SH120A2	1171	973	88	56	78	28-18.5	36-M16	98
SH120-2	1171	973	88	56	78	28-18.5	36-M16	98
SH120A3	1171	973	80	56	69	28-18.5	36-M16	98
SH120-3	1171	973	80	56	69	28-18.5	36-M16	98
SH120Z3	1172	973	87	65	78	28-18.5	36-M16	98
SH120C3	1172	973	87	65	78	28-18.5	36-M16	98

型号 Model	外径 OD	内径 ID	总高 Height	外高 Ex H	内高 In H	外圈孔 Outer hole	内圈孔 Inner hole	齿数 Teeth
SH135	1070	852	101	60	90	28-φ22	36-M16	86
SH140	1171	973	88	56	78	28-18.5	36-M16	98
SH145	1171	973	88	56	78	28-18.5	36-M16	98
SH200A1	1330	1093	102	74	92	31-22.5	36-M20	92
SH200A2	1330	1093	102	74	92	31-22.5	36-M20	92
SH200A3	1330	1093	102	74	92	31-22.5	36-M20	92
SH200C2	1330	1093	102	74	92	31-22.5	36-M20	92
SH200C3	1330	1093	102	74	92	31-22.5	36-M20	92
SH200Z3	1330	1093	102	74	92	31-22.5	36-M20	92
SH220	1375	1094	121	80	111	36-φ26	36-M24	92
SH240-5	1377	1094	123	88	113	28-26	36-M24	92
SH240-3	1377	1094	123	88	113	27-26	36-M24	92
SH260	1171	973	84	56	75	28-18.5	36-M16	98
SH265	1171	973	84	56	75	28-18.5	36-M16	98
SH280	1315	1083	99	65	88	32-22.5	36-M20	92
SH330	1616	1274	120	100	110	41-φ26	46-M24	92
SH350	1510	1192	135	100	125	38-φ26	43-M24均布	86
SH430	1464	1192	135	78	125	36-φ26	30-M24	86
SH40T	1464	1192	135	78	125	36-φ26	30-M24	86
DH55-5	812	616	75	65	65	24-φ18均	24-φ18均	90
DH80GO	902	640	82	72	65	24-20	24-M18	82
DH80-7	902	640	82	72	65	24-20	24-M18	82
DH150	1202	947	83	75	70	36-22	36-M20	80
DH200-3	1302	1084	110	80	98	36-20	36-M20	79/14模数
DH220-2	1310	1084	110	80	95	36-21.5	36-M20X1.5	79
DH220-3	1310	1084	110	80	95	36-21.5	36-M20X1.5	79
DH220-5	1327	1084	111	88	95	36-21.5	36-M20X1.5	92
DH220-7LC	1327	1084	111	88	95	36-21.5	36-M20X1.5	92
DH215-7	1327	1084	111	88	95	36-21.5	36-M20X1.5	92
DH225-7	1327	1084	110	90	95	36-Φ21.5	36-M20	92
DH258细牙	1410	1134	117	88	104	35-φ25非均	36-M24*1.5	82
DH258-7粗牙	1410	1134	117	88	104	35-φ25非均	36-M24	82
DH280	1460	1162	120	95	105	35-φ25	36-M24	85
DH290	1460	1162	120	95	105	35-φ25	36-M24	85
DH300-5	1460	1162	120	95	105	35-φ25	36-M24	85
DH300-7	1464	1165	120	95	110	35-φ26	36-M24	85
DH370-7	1551	1234	132	103	120	35-Φ25	40-M24	90
DH420斗山	1551	1234	132	103	120	35-Φ25	40-M24	90
R60-5	800	573	70	56	60	20-17.5	20-17.5	90

型号 Model	外径 OD	内径 ID	总高 Height	外高 Ex H	内高 In H	外圈孔 Outer hole	内圈孔 Inner hole	齿数 Teeth
R60-7	800	590	74	60	61	20-17.5	20-17.5	86
R80-7	900	665	85	70	70	30-Φ17.5	30-Φ17.5	85
R110-7	1095	863	80	70	70	36-19	36-M16	88
R130-5	1195	962	85	75	70	36-19	36-M16	98
R130-7	1195	962	85	75	70	36-19	36-M16	98
R200	1328	1083	111	80	94	28-22	36-M20	92
R200-5	1328	1083	111	80	94	28-22	36-M20	92
R210	1328	1083	111	80	94	28-22	36-M20	92
R210-5	1328	1083	111	80	94	28-22	36-M20	92
R210-3	1328	1083	111	80	94	28-22	36-M20	92
R200-7	1327	1083	110	89	94	30-22	36-M20	92
R210-7	1327	1083	110	89	94	30-22	36-M20	92
R215-7	1327	1083	110	89	94	30-22	36-M20	92
R220-5	1328	1083	111	80	94	28-22	36-M20	92
R225-7	1327	1083	110	89	94	30-22	36-M20	92
R290	1526	1236	122	87	110	35-26	40-M24	90
R300	1526	1236	122	87	110	35-26	40-M24	90
R305-7	1526	1235	122	97	110	38-26	40-M24	90
R335-7	1526	1235	122	97	110	38-26	40-M24	90
R360	1550	1234	147	108	135	35-Φ26.5	40-M24	90
R450-7	1675	1346	132	108	120	46-25	44-M24	114
PS132	1310	1081	111	90	90	36-M20	36M20	92
PS210	1310	1081	111	90	90	36-M20	36M20	92
MX08-2	1310	1081	111	90	90	36-M20	36M20	92
利勃海尔924	1215	940	115	72	105	48-22	56-22	94
利勃海尔914	1215	940	115	72	105	48-22	56-22	94
VOLVOEC210B	1327	1083	108	90	90	34-21.5	36-M20	92
VOLVOEC210	1327	1082	110	90	90	33-21.5	36-M20	92
VOLVOEC240	1460	1164	120	95	105	33-24	36-M22	85
VOLVO290	1530	1236	122	90	113	35-Φ26	40-M24	90
詹阳210	1365	1036	105	75	90	36-24均布	36-m22	87
山河70	812	572	80	70	70	32-16	32-M14	96/6m
SANY65	812	616	75	65	65	24-φ18均	24-φ18均	90
SANY75/90T	812	616	75	65	65	24-φ18均	24-φ18均	90
SANY75/76T	811	601	75	65	65	24-φ18均	24-φ18均	76
SANY135	1122	824	100	87	90	36-φ22均	36-M20	83
SANY200	1322	1071	100	77	90	32-24	36-M20	91
力士德70	852	627	75	58	63	30-φ18均	30-M16均	80
力士德80	852	627	75	58	63	30-φ18均	30-M16均	80

型号 Model	外径 OD	内径 ID	总高 Height	外高 Ex H	内高 In H	外圈孔 Outer hole	内圈孔 Inner hole	齿数 Teeth
力士德130	1120	850	76	66	66	36-φ22均	36-M20均	86
力士德360	1526	1236	122	87	110	35-φ26	40-M24	90
LIUGONG907	895	664	68	58	58	20-17.5	20-M16	84/8M
LIUGONG908	895	664	68	58	58	20-17.5	20-M16	84/8M
LIUGONG915	1122	824	100	90	85	36-φ22均	36-φ22均	83
LIUGONG200（86T）	1365	1017	120	105	105	36-24	36-M22	86
LIUGONG922	1408	1128	100	70	90	36-24	36-M22	95
LIUGONG230(91T)	1358	1080	100	70	90	36-φ24	36-M22	91
LIUGONG936	1600	1288	125	82	115	41-φ26	40-M24	93
山河45	639	472	55	45	45	20-φ13.5	20-φ13.5	80
山河50（83T）	732	494.4	60	50	50	24-18	24-M16	83
山河60	805	552	70	60	60	24-17均	24-M16均	93
YC35	640	471	55	45	45	20-Φ13	20-Φ13	80
YC60-8	800	590	70	56	60	20-17.5	20-17.5	86
YC85	922	635.2	100	90	90	30-22	30-M20	80
YC135	1195	963	85	74	70	36-Φ19	36-M16	98
YC230	1327	1084	110	89	94	36-22	36-M20	92
厦工820	1370	1034	105	80	95	36-22	36-M22	88
厦工823 龙工60	1460	1162	110	92	100	35-24	36-M24*2	85
	845	616	70	55	60	20-φ17.5	20-M16*1.5	89
龙工80	908	648	78	68	69.5	24-φ22	24-M20	82
龙工150	1185	889	90	75	80	36-22	36-M20	90
龙工210	1328	1084	100	80	90	36-22	36-M20	92
凯斯55	834	649	63	48	55	20-15.5	20-15.5	110
凯斯210B	1330	1093	102	74	92	31-22.5	36-M20	92
SH210-5	1330	1093	102	74	92	31-22.5	36-M20	92
汉拿200	1327	1084	110	89	94	30-22	36-M20	92
汉拿210	1327	1084	110	89	94	32-22	36-M20	92
石川岛60	845	648	57	48	50	20-17.5	20-17.5	110
竹内175	1133	861	90	74	74	30-Φ20	36-Φ20	88
雷沃85	908	648	78	68	68	24-22	24-m20	82
HL85	896	664	68	58	58	20-22	20-M20	84
HL165	775	554	78	60	65	24-φ17均布	24-φ17均布	81
PC650	1978	1513	172	138	165	44-φ33	48-φ33	86
徐工80	895	664	68	58	58	20-17.5	20-17.5	84/8M
徐工150	1097	822	90	70	80	36-22	36-M20	83
XUGONG150	1122	824	100	87	90	36-φ22均	36-φ22均	83
JCB220	1328	1094	102	74	92	31-φ22	36-M20	92
临工665	811	622	75	65	65	24-φ18均	24-φ18均	90

型号 Model	外径 OD	内径 ID	总高 Height	外高 Ex H	内高 In H	外圈孔 Outer hole	内圈孔 Inner hole	齿数 Teeth
厦工815	1120	850	76	66	68	36-φ22均	36-M20均	86
众友913B	1120	850	76	66	68	36-φ22均	36-M20均	86
振宇80	1008	744	78	68	68	20-φ22	20-M20	94
HD1023	1595	1277	111	90	100	36-φ26.5	36-M24	92
众友921	1327	1084	110	89	94	32-22	36-M20	92
久保田185	990	784	73	52	63	30-M16*1.5	36-M16*1.5	100
山河60	805	552	70	60	60	24-17	24-M16	93
XUGONG210	1322	1071	100	77	90	32-24	36-M20	91
SANY235C	1326	1071	100	90	90	32-22非均	36-M20	91
龙工235	1362	1080	105	85	95	36-24	36-M22	91